

Tapered roller bearing

Inch series

CZD

ZHEJIANG CHINTA BEARING CO., LTD
ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD



Material

Rings and Rolling Elements High carbon chromium bearing steel heat treated by Vacuum quench; Case hardened steel

Cage low carbon steel; nylon, polymer

Oil seal or shield NBR, BR, FPM, MVQ, ACM, FKM 2

Tolerance class

Bearing accuracy consists of dimensional accuracy and running accuracy.

Standard	Bearing Class Designations
----------	----------------------------

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

ANSI/ABMA std.19.2	4	2	3	0	00
JIS	class 0	class 6	class 5	class 4	class 2
DIN	P0	P6	P5	P4	P2
ISO	P0	P6	P5	P4	P2

Clearance The radial clearances of tapered bearings are divided into six groups as shown.

Bore diameter (mm)		Group 1		Group 2		Normal		Group 3		Group 4		4 Group 5	
Over	to	min	max	min	max	min	max	min	max	min	max	min	max
-	30	0	10	10	20	20	30	40	50	50	60	70	80
30	40	0	12	12	25	25	40	45	60	60	75	80	95
40	50	0	15	15	30	30	45	50	65	65	80	90	110
50	65	0	15	15	30	30	50	50	70	70	90	90	120
65	80	0	20	20	40	40	60	60	80	80	110	110	150
80	100	0	20	20	45	45	70	70	100	100	130	130	170

Special radial clearance or axial clearance requirement could be made as specified in orders.

Useful prefix and suffix to inch bearings

Prefix		Suffix	
LL	Light-light series	A	Differential ID,OD,radius,components from basic part number
LM	Light medium load series	B	Flanged cup
M	Medium series	BA	Flanged cup
HM	Heavy Medium load series	F	Assembled with polymer cage
H	Heavy load series	X	Special feature bearing
U	Basic series number, unitized, self-contained	RS	With oil seal



CZD
 ZHEJIANG CHINTA BEARING CO., LTD
 ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Inch tapered roller bearing in 0 series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
0 Series										

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: http://www.chintagroup.com; http://www.czdbearing.com

03062/03162	15.875	41.275	14.288	14.681	11.112	1.2	2.0	21.8	20.5	0.095
09078/09195	19.050	45.237	19.845	21.539	14.288	1.2	1.2	28.5	28.9	0.189
09067/09195	19.050	45.237	16.637	15.494	12.065	1.3	1.3	28.5	28.9	0.180
09081/09195	20.625	49.225	21.539	23.020	17.462	1.5	1.5	37.5	37.0	0.200
07087/196	22.225	50.005	13.495	14.260	9.525	1.3	1.0	26.0	27.9	0.132
07093/196	23.812	50.005	13.495	14.260	9.525	1.5	1.0	26.0	27.9	0.131
07093/204	23.812	51.994	15.011	14.260	12.700	1.5	1.3	26.0	27.9	0.157
07098/204	24.981	51.994	15.011	14.260	12.700	1.5	1.3	26.0	27.9	0.157
07098/07205	24.981	52.001	15.011	14.260	12.700	2.0	1.5	26.0	27.9	0.157
07097/07204	25.000	51.994	15.011	14.260	12.700	1.0	1.2	26.7	28.8	0.140
07100/07196	25.400	50.005	13.495	14.260	9.525	1.0	1.0	26.0	27.9	0.131
07100/07204	25.400	51.994	15.011	14.260	12.700	1.5	1.3	26.0	27.0	0.132
07100SA/07196	25.400	50.005	13.495	14.260	9.525	3.3	1.0	26.0	27.9	0.131
02473/20	25.400	68.262	22.225	22.225	17.462	1.5	0.8	55.0	64.0	0.429
02474/20	28.575	68.262	22.225	22.225	17.462	1.5	0.8	55.0	64.0	0.406
02872/20	28.575	73.025	22.225	22.225	17.462	0.8	3.2	55.0	65.7	0.477
08125/01231	31.750	58.738	14.684	15.08	10.716	1.0	1.0	29.5	33.3	0.165
02475/20	31.750	68.262	22.225	22.225	17.462	1.5	0.8	55.0	64.0	0.374
02476/20	31.750	68.262	22.225	22.225	17.462	1.5	0.8	55.0	64.0	0.406
02875/20	31.750	73.025	22.225	22.225	17.462	3.6	3.2	55.0	65.7	0.451
02876/20	31.750	73.025	22.225	22.225	17.462	0.8	3.2	55.0	65.7	0.451
02877/20	34.925	73.025	22.225	22.225	17.462	3.6	3.2	55.0	65.7	0.420
02878/20	34.925	73.025	22.225	22.225	17.462	0.8	3.2	55.0		
02884/20	36.449	73.025	22.225	22.225	17.462	0.8	3.2			0.400
02872/30	28.575	73.025	22.225	22.225	17.462	0.8	0.8			0.490
02875/30	31.750	73.025	22.225	22.225	17.462	3.5	0.8			0.450
02876/30	31.750	73.025	22.225	22.225	17.462	0.8	0.8			0.460
02877/30	34.925	73.025	22.225	22.225	17.462	3.5	0.8			0.420
02878/30	34.925	73.025	22.225	22.225	17.462	0.8	0.8			0.430
02884/30	36.449	73.025	22.225	22.225	17.462	0.8	0.8			0.410
02872/31	28.575	80.962	22.225	22.225	17.462	0.8	0.8			0.620
02875/31	31.750	80.962	22.225	22.225	17.462	3.5	0.8			0.580
02876/31	31.750	80.962	22.225	22.225	17.462	0.8	0.8			0.590
02877/31	34.925	80.962	22.225	22.225	17.462	3.5	0.8			0.550
02878/31	34.925	80.962	22.225	22.225	17.462	0.8	0.8			0.560
02884/30	36.449	80.962	22.225	22.225	17.462	0.8	0.8			0.540

Inch taper roller bearing; roller bearing; imperial bearing; Imperial tapered roller bearing; tapered roller bearing assembly

CZD

ZHEJIANG CHINTA BEARING CO., LTD

ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Zhejiang Zhengda Bearing Co., Ltd


Zhejiang Zhengda Automobile Bearing Co., Ltd

Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600

Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679

Email: k enhuang68@163.com; czdsale@gmail.com

Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>



Inch tapered roller bearing 1 series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
1 Series										
11590/20	15.875	42.862	14.288	14.288	9.525	1.5	1.5	17.3	17.2	0.100
17580/20	15.875	42.862	163.670	16.670	13.495	1.5	1.5	26.9	26.3	0.127
LM11749/10	17.462	39.878	13.843	14.605	10.668	1.3	1.3	22.5	22.5	0.083
LM11949/10	19.050	45.237	15.494	16.637	12.065	1.3	1.3	28.5	28.9	0.125
LM11949/10 RS	With oil seal									0.132
CR1252L RS	With oil seal									
12580/20	20.638	49.225	19.845	19.845	15.875	1.5	1.5	36	37	0.180
LM12748/10	21.430	45.237	15.494	16.637	12.065	1.3	1.3	29.2	33.5	0.116
LM11949/10	19.050	45.237	15.494	16.637	12.065	1.3	1.3			
M12649/10	21.430	50.005	17.526	18.228	13.970	1.3	1.3	38.5	40	0.172
LM12749/10	22.000	45.237	15.494	16.637	12.065	1.3	1.3	29	33.5	0.118
LM12749/11	22.000	45.975	15.494	16.637	12.065	1.3	1.3	29	33.5	0.116
M12648/10	22.225	50.005	17.526	18.288	13.970	1.3	1.3	38.5	40.0	0.172
15578/20	25.400	57.150	17.462	17.462	13.495	1.3	1.5	39.5	45.5	0.225
1986/22	25.400	57.150	19.845	19.355	15.875	1.3	1.5	40.0	44.5	0.247
15100/250X	25.400	63.500	20.638	20.638	15.875	3.5	1.5	46	53	0.331
15100S/245	25.400	62.000	19.050	20.638	14.288	1.3	1.3	46.0	53.0	0.293
15101/244	25.400	62.000	20.638	20.638	15.875	0.8	1.3	46.0	53.0	0.313
15101/245	25.400	62.000	19.050	20.638	14.288	0.8	1.3	46	53	0.302
15101/250X	25.400	63.500	20.638	20.638	15.875	0.8	1.3	46	53	0.331
15579/21	26.000	57.150	17.462	17.462	14.000	3.2	1.3	39.5	45.5	0.227
15103/245	26.157	61.912	19.050	20.638	14.288	0.8	2.0	46	53	0.283
10103S/243	26.162	61.912	19.050	19.939	14.288	0.8	2.0	46.0	53.0	0.282
1997X/22	26.988	57.150	19.845	19.355	15.875	3.3	1.5	40.0	44.5	0.246
15580/23	26.988	60.325	19.842	17.462	15.875	3.5	1.5	39.5	45.5	0.264
15106/245	26.988	62.000	19.050	20.638	14.288	0.8	1.3	46	53	0.283
15106/250X	26.988	63.500	20.638	20.638	15.875	0.8	1.3	46	53	0.321


Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

15581/20	28.000	57.150	17.462	17.462	13.492	2.3	1.5	39.5	45.5	0.212
1988/22	28.575	57.150	19.845	19.355	15.875	3.5	1.5	40	44.5	0.247
15112/245	28.575	62.000	19.050	20.638	14.228	3.5	1.3	46	53	0.271
15113/245	28.575	62.000	19.050	20.638	14.228	0.8	1.3	46	52	0.271
15117/245	30.000	62.000	19.050	20.638	14.288	1.3	1.3	46	53	0.261
15117/250	30.000	63.500	20.638	20.638	15.875	1.3	1.3	46	53	0.299
15116/245	30.112	62.000	19.050	20.638	14.288	0.8	1.3	46	53	0.263
15118/245	30.213	62.000	19.050	20.638	14.288	3.5	1.3	46	53	0.259
15119/245	30.213	62.000	19.050	20.638	14.288	1.3	1.5	46	53	0.259
15123/245	31.750	62.000	18.161	19.050	14.288	1.3	3.5	46	53	0.237
15125/245	31.750	62.000	19.050	20.638	14.288	1.3	3.5	46	53	0.249
15126/250	31.750	63.500	20.638	20.638	15.875	0.8	1.3	46	53	0.287
J16154/285	39.000	72.014	21.400	20.638	16.637	3.5	0.5			0.350
18590/20	41.275	73.025	16.667	17.462	12.700	3.5	1.5	44.5	54	0.288
JLM104947A/10	50.000	82.000	21.975	21.501	17.000	0.5	0.5	71	96	0.419
LM102949/10	45.242	73.431	19.558	19.812	15.748	3.5	1.8	53	75	0.316
JLM104948/10	50.000	82.000	21.501	21.501	17.000	3.0	0.5	71	96	0.419
LM104949/11A	50.800	82.550	23.622	21.225	18.542	3.5	0.8	71	96	0.436
LM110848/11	63.500	101.600	25.400	25.400	22.225	1.5	1.5			25.890
M111048/12	63.500	107.950	25.398	25.908	20.320	0.8	0.8			0.920
LL116249/10	82.550	114.300	15.083	15.083	11.112	1.5	1.5			0.450
LM114848/11	76.200	115.888	26.987	26.988	23.812	1.5	1.5			0.990
L116149/10	82.550	115.888	20.637	21.433	16.670	1.5	1.5			0.670
L116149/10B	82.550	115.888	7.938	21.433	16.670	1.5	1.5			0.690
L116149/12	82.550	117.475	20.637	21.433	16.670	1.5	1.5			0.700
LM116548/11	82.550	123.825	28.575	28.575	25.400	2.3	2.3			1.200
L117549/10	88.900	125.412	19.050	19.050	15.083	2.3	2.3			0.710
LM117949/10	88.900	130.175	28.594	28.595	25.400	2.3	2.3			1.320
LM119348/11	95.250	136.525	30.162	30.162	24.608	2.4	2.3			1.340
LM120749/10	101.600	146.050	31.750	31.750	28.575	2.3	2.3			1.750
LM121349/10	106.975	146.975	28.500	28.000	24.000	2.3	2.3			1.320
LM122948/11	114.300	158.750	34.925	34.925	30.162	3.3	3.3			1.990
LM124448/10	120.650	166.688	52.387	52.388	31.750	0.5	3.3			2.580
LM125748/11	127.000	174.625	36.512	36.512	31.750	3.3	3.3			2.550
HM124640/18	109.941	195.262	53.975	57.150	44.450	1.5	3.3			6.860
HM125943/10	119.949	204.775	55.563	60.325	45.237	3.3	3.3			7.530
HM127436/15	119.957	207.962	53.975	57.150	44.450	1.5	3.3			7.880
EE116050/97	127.000	247.650	63.500	63.500	47.625	3.3	4.8			13.070
EE116050/98	127.000	250.825	63.500	63.500	47.625	3.3	4.8			13.600
EE153044/153100	120.650	254.000	77.788	82.550	57.150	9.7	6.4			
EE107055/107105	139.700	268.288	74.613	74.612	57.150	6.4	6.4			18.380
EE107057/107105	146.050	268.288	74.613	74.612	57.150	6.4	6.4			17.550
EE107060/107107	125.400	269.800	74.613	74.612	57.150	6.4	6.4			16.970

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

122978/125	199.974	317.500	66.675	70.000	50.800	4.3	3.3			18.470
EE130787/131400	200.025	355.600	69.850	69.850	49.212	6.8	1.5			28.210
EE108065/142	165.100	361.950	106.362	104.775	76.200	13.5	3.3			
EE125094/145	241.122	368.300	68.262	68.262	53.975	6.4	3.3			24.520
EE134100/45	254.000	368.300	58.738	58.738	42.862	6.4	6.5			18.640
EE117063/148	161.925	374.650	87.312	79.375	60.325	6.4	1.5			
EE126098/150	249.250	381.000	79.375	76.200	57.150	6.4	4.8			29.130
HH144600/14	200.025	393.700	111.125	111.125	84.138	6.4	6.4			60.650

Inch tapered roller bearing; roller bearing; imperial bearing; Imperial tapered roller bearing; tapered roller bearing assembly



CZD
 ZHEJIANG CHINTA BEARING CO., LTD
 ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Inch tapered roller bearing 2 series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
L21549/11	15.875	34.988	10.988	10.988	8.712	1.3	1.3	13.8	13.4	0.051
2580/2523	31.750	69.850	25.357	23.812	19.050	0.8	1.3	71.0	84.0	0.451
25877	34.925	73.025	24.608	23.812	19.050	1.5	0.8	71.0	86.0	0.473
2796/35X	34.925	73.025	23.812	25.654	19.050	3.5	1.3	73.5	91.0	0.496
25880/25821	36.487	73.025	24.608	23.812	19.050	1.5	0.8	71.0	86.0	0.458
LM29748/10	38.100	65.088	18.034	18.288	13.970	3.56	1.3	42.5	55.0	0.233
LM29749 RS	With oil seal									
LM29749/10	38.100	65.088	18.034	18.288	13.970	2.3	1.3	42.5	55.0	0.236
LM29749L/10	38.100	65.088	18.034	21.139	13.970	2.5	1.3	42.5	55.0	0.257
LM29749/11	38.100	65.088	19.812	18.288	15.748	2.3	1.3	42.5	55.0	0.250
57410S/LM29710S	38.100	65.088	18.034	21.139	13.907	3.56	1.3	42.5	55.0	0.254
2788/35x	38.100	73.025	23.812	25.654	19.050	3.5	1.3	73.5	91.0	0.460
2793/35x	38.100	73.025	23.812	25.654	19.050	0.8	1.3	73.5	91.0	0.496
2788/20	38.100	76.200	23.812	25.654	19.050	3.5	3.3	73.5	91.0	0.506
2788/29	38.100	76.200	23.815	25.654	19.050	3.5	0.8	73.5	91.0	0.515
2789/20	39.688	76.200	23.812	25.654	19.050	3.5	3.3	73.5	91.0	0.487
25571/21	42.875	83.058	23.812	25.400	19.050	3.5	3.3	76.5	99.0	0.577

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

25577/23	42.875	82.931	26.988	25.400	22.225	3.5	2.3	76.5	99.0	0.623
25578/20	42.862	82.931	23.812	25.400	19.050	2.3	0.8	76.5	99.0	0.576
25578/23	42.862	82.931	26.988	25.4	22.225	2.3	2.3	76.5	99.0	0.623
25580/20	44.450	82.931	23.812	25.400	19.050	3.5	0.8	76.5	99.0	0.558
25580/21	44.450	83.058	23.812	25.400	19.050	3.5	3.3	76.5	99.0	0.553
25584/20	44.983	82.931	23.812	25.400	19.050	1.5	0.8	76.5	99.0	0.547
25590/20	45.618	82.931	23.812	25.400	19.050	3.5	0.8	76.5	99.0	0.538
25590/23	45.618	82.931	23.812	25.400	19.050	3.5	2.3	76.5	99.0	0.589
JM205149/10	50.000	90.000	28.000	28.000	23.000	3.0	2.5	104.0	136.0	0.753
28584/21	52.388	92.075	25.400	24.608	19.845	3.5	0.8	84.5	117.0	0.682
28580/20	50.800	92.075	25.400	24.608	19.845	3.5	0.8	84.0	117.0	0.707
28985/21	60.325	101.600	25.400	25.400	19.845	3.5	3.3	91.0	135.0	0.770
28985/20	60.325	101.600	25.400	25.400	19.845	3.5	3.3	91.0	135.0	0.810
29586/20	63.500	107.950	25.400	25.400	19.050	1.5	3.3	90.0	138.0	0.918
29590/20	66.675	107.950	25.400	25.400	19.050	2.5	2.0	90.0	138.0	0.860
HM212044	60.325	122.238	38.100	38.254	29.718	0.8	1.5	188.0	245.0	2.004
HM212046/10	63.500	122.238	38.100	38.254	29.718	3.5	1.5	188.0	245.0	1.935
HM212047/10	63.500	122.238	38.100	38.254	29.718	7.0	1.5	188.0	245.0	1.917
HM212047/11	63.500	122.238	38.100	38.254	29.718	7.0	3.3	188.0	245.0	1.907
HM212044/10	60.325	122.238	38.100	38.254	29.718	0.8	1.5	188.0	245.0	2.004
HM212046/10	63.500	122.238	38.100	38.254	29.718	3.5	1.5	188.0	245.0	1.935
HM212047/10	63.500	122.238	38.100	38.254	29.718	7.0	1.5	188.0	245.0	1.917
HM212047/11	63.500	122.238	38.100	38.254	29.718	7.0	3.3	188.0	245.0	1.907
JH211749/10	65.00	120.000	38.500	39.000	32.000	3.0	2.5	185.0	249.0	1.875
HM212049/10	66.675	122.238	38.100	38.254	29.718	3.5	1.5	188.0	245.0	1.839
HM212049/11	66.675	122.238	38.100	38.254	29.718	3.5	3.3	188.0	245.0	1.828
29675/29630	69.850	120.650	25.400	25.400	19.050	1.5	3.3	93.3	148.0	1.1592
29685/20	73.025	112.712	25.400	25.400	19.050	3.5	3.3	96.0	152.0	0.893
HM218248/10	90.000	147.000	40.000	40.000	32.500	7.0	3.5	229.0	345.0	2.486
HH221442/10	98.425	190.500	57.150	57.531	46.038	3.6	3.2	440.0	602.0	7.180
HH221447/10	99.982	190.500	57.150	57.531	46.038	3.6	3.2	440.0	602.0	7.050
EE210753/211300	190.500	330.200	63.500	61.912	42.862	7.0	3.3			19.850
HH221430/10	76.200	190.500	57.150	57.531	46.038	3.5	3.3			8.860
LM229140C/10	136.525	194.975	33.000	33.000	27.500	3.5	3.5			3.110
HH221442/16	98.425	200.025	61.912	57.531	50.800	3.5	3.3			9.000
M229349/10	146.050	203.200	45.100	40.000	38.100	3.5	3.5			4.010
HH224332/10	98.425	212.725	66.674	66.675	53.975	3.5	3.0			11.880
EE213362/213843	92.075	214.312	73.025	73.025	53.975	9.7	6.4			12.330
HM227542/15	127.000	215.900	57.150	60.325	44.450	3.3	3.3			8.170
HM227545/19	129.967	219.974	57.150	60.325	44.450	3.3	3.3			8.380
M231648/10	152.400	222.250	46.830	46.830	34.925	8.0	1.5			5.700
LM236749/10	184.150	234.950	34.000	33.000	28.000	2.0	2.0			3.370
HM231132/10	139.700	236.538	57.150	56.642	44.450	3.5	3.3			10.160


Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

H230844/11	139.700	241.300	63.500	68.262	50.800	14.3	3.3			11.840
HM231140/15	146.050	241.300	57.150	56.642	44.450	3.5	3.3			10.150
H230847/18	144.462	247.650	63.500	68.262	50.800	3.3	3.3			12.300
EE215040/215096	101.600	250.825	76.200	73.025	50.800	6.4	3.3			17.340
HH228336/10	119.974	254.000	77.788	82.550	61.912	4.0	6.4			19.620
M235145/13	165.100	254.000	46.037	46.038	33.338	4.8	3.3			7.910
HH228349/15	127.000	258.763	77.788	82.550	61.912	9.7	6.4			19.540
M236848/17	177.800	259.951	53.975	53.975	41.275	8.0	3.3			8.910
HH228349H/18	127.000	259.974	77.788	82.550	61.912	9.7	4.0			20.060
M236845/10	174.625	260.350	53.975	53.975	41.275	3.5	3.3			9.420
HM234636/10	152.400	266.700	66.675	71.438	50.800	6.4	3.3			15.510
HM234643/12	159.512	266.700	66.675	71.438	50.800	1.5	3.3			14.620
LL244549/10	231.775	268.288	22.500	21.500	18.500	2.0	2.0			1.850
M238840/10	177.800	269.875	55.563	55.562	42.862	3.5	3.3			11.070
LM241147/10	200.025	276.225	42.863	46.038	34.133	3.5	3.3			7.750
LM241148/11	203.987	276.225	42.863	46.038	34.133	3.5	3.3			7.350
M239441/10	187.630	279.400	52.387	57.150	41.275	3.3	3.3			11.100
EE270537XS/271100	136.525	279.400	82.550	86.004	63.500	10.7	6.4			23.370
M240629T/11	185.938	284.162	56.104	61.120	46.038	3.3	3.3			13.400
EE217056/217112	146.050	285.750	76.200	73.025	55.562	6.4	6.4			20.270
HH231637/10	127.000	288.925	82.550	87.312	57.150	13.5	6.4			25.980
HM237532/10	160.325	288.925	63.500	63.500	47.625	7.0	3.3			17.820
HM237537/11	164.976	288.925	63.500	68.000	47.625	7.0	3.3			17.110
HM237542/13	174.625	289.974	63.500	63.500	48.000	7.0	3.0			16.160
M241542/10	200.025	292.100	57.945	61.912	46.038	6.4	3.3			12.490
HH231649/15	139.700	295.275	82.550	87.312	57.150	9.7	6.4			26.110
EE219065/219117	165.100	298.450	82.550	63.500	82.550	6.4	6.4			24.230
EE280626/281200	158.750	304.800	66.675	69.106	42.862	6.4	3.3			20.380
HH234031/10	139.700	307.975	88.900	93.662	66.675	9.7	6.8			31.280
EE219068/219122	174.625	311.150	82.550	82.550	63.500	6.4	6.4			25.590
H238140/10	165.100	311.150	82.550	82.550	65.088	6.4	6.4			28.330
LM245130T/10	215.369	311.150	48.959	53.975	38.100	3.3	3.3			12.810
M244230T/10	209.616	314.325	61.557	65.883	49.212	3.3	3.3			17.720
HH234048/18	152.400	317.500	88.900	93.662	66.675	9.7	6.8			30.560
LM245833/10	220.878	317.500	47.625	52.388	36.512	3.3	3.3			12.200
EE222070/222126	177.800	319.964	88.900	85.725	65.088	3.5	4.8			28.790
H239640/10	177.800	319.964	88.900	85.725	65.088	3.5	4.8			28.380
H239649/12	187.325	320.675	88.900	85.725	320.675	5.5	4.8			26.680
LM247730T/10	234.686	327.025	48.857	53.975	38.100	3.3	3.3			13.130
LM247749T/14	247.650	329.949	50.445	53.975	39.688	3.3	3.3			11.700
H242649/10	206.375	336.550	98.425	100.012	77.788	3.3	3.3			33.280
M246942/10	212.725	336.550	65.087	65.088	50.800	6.4	3.3			21.860
M249732/10	228.600	358.775	71.437	71.438	53.975	3.5	3.3			26.680

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

M252330/10	234.950	381.000	74.612	74.612	57.150	6.4	3.3			33.880
H247535/10	200.025	384.175	112.712	112.712	90.488	6.4	6.4			60.270
EE275095/275155	241.300	393.700	73.817	69.850	50.005	6.4	6.4			32.070

Inch tapered roller bearing;roller bearing; imperial bearing; Imprial tapered roller bearing;tapered roller bearing assembly



单列圆锥滚子轴承

CZD

ZHEJIANG CHINTA BEARING CO., LTD

ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Inch tapered roller bearing 3 series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
3 Series										
LM300849/10	41.000	68.000	18.000	17.500	13.500	SP	1.5	43.5	58.0	
31593/20	34.925	76.200	29.370	28.575	23.812	3.5	3.3	80.5	96.5	0.811
31549/20	34.925	76.200	29.370	28.575	23.812	1.5	3.3	80.5	96.5	0.814
3379/3325	34.925	80.000	29.370	30.391	23.812	3.5	3.3	95.0	112.0	0.762
3386/3325	39.688	80.000	29.370	30.391	23.812	0.8	3.3	95.0	112.0	0.648
3384/3325	41.275	80.000	29.370	30.391	23.812	0.8	3.3	95.0	112.0	0.623
3379/3320	34.925	80.167	29.370	30.391	23.812	3.5	3.3	95.0	112.0	0.732
3386/3320	39.688	80.167	29.370	30.391	23.812	0.8	3.3	95.0	112.0	0.668
3384/3320	41.275	80.167	29.370	30.391	23.812	0.8	3.3	95.0	112.0	0.644
3580/3520	38.100	84.138	30.162	30.886	23.812	1.5	3.3	94.0	117.0	0.799
3585/3520	41.275	84.138	30.162	30.886	23.812	1.5	3.3	94.0	117.0	0.751
3578/3520	44.450	84.138	30.162	30.886	23.812	3.5	3.3	94.0	117.0	0.699
3578A/3520	44.450	84.138	30.162	30.886	23.812	5.5	3.3	94.0	117.0	0.679
3586/3520	45.237	84.138	30.162	30.886	23.812	3.5	3.3	94.0	117.0	0.683
3580/3525	38.100	87.312	30.162	30.886	23.812	1.5	3.3	94.0	117.0	0.881
3585/3525	41.275	87.312	30.162	30.886	23.812	1.5	3.3	94.0	117.0	0.831
3578/3525	44.450	87.312	30.162	30.886	23.812	3.5	3.3	94.0	117.0	0.779
3578A/3525	44.450	87.312	30.162	30.886	23.812	5.5	3.3	94.0	117.0	0.759
3578/3525	44.450	87.312	30.886	30.162	23.812	3.5	3.3	96.0	120.0	0.781
3586/3525	45.237	87.312	30.162	30.886	23.812	3.5	3.3	94.0	117.0	0.765
368A/362A	50.800	88.900	20.638	22.225	16.513	3.5	1.3			0.504
368/362A	50.800	88.900	20.638	22.225	16.513	1.5	1.3			0.500
3782/20	44.450	93.264	30.162	30.302	23.812	3.5	3.2	103.0	136.0	0.959

Zhejiang Zhengda Bearing Co., Ltd

Zhejiang Zhengda Automobile Bearing Co., Ltd

Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600

Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679

Email: k enhuang68@163.com; czdsale@gmail.com

Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

3776/3720	44.983	93.264	30.162	30.162	23.812	3.5	3.3	102.0	134.0	0.952
3776/3730	44.983	93.264	30.163	30.302	23.812	3.5	3.3	102.0	134.0	0.952
3778/3720	47.625	93.264	30.162	30.302	23.812	6.4	3.3	102.0	134.0	0.898
3778/3730	47.625	93.264	30.162	30.302	23.812	6.4	0.8	102.0	134.0	0.918
3779/3720	47.625	93.264	30.162	30.302	23.812	3.5	3.3	102.0	134.0	0.906
3779/3730	47.625	93.264	30.163	30.302	23.812	3.5	0.8	102.0	134.0	0.916
3780/3730	50.800	93.264	30.162	30.302	23.812	3.5	0.8	102.0	134.0	0.854
3781/3720	49.212	93.264	30.162	30.302	23.812	3.5	3.3	102.0	134.0	0.877
3781/3730	49.212	93.264	30.162	30.302	23.812	3.5	0.8	102.0	134.0	0.899
3782/3720	44.450	93.264	30.162	30.302	23.812	3.5	3.3	102.0	134.0	0.961
3782/3730	44.450	93.264	30.162	30.302	23.812	3.5	0.8	102.0	134.0	0.962
3783/3720	44.450	93.264	30.162	30.302	23.812	6.4	3.3	102.0	134.0	0.932
3783/3730	44.450	93.264	30.163	30.302	23.812	6.4	0.8	102.0	134.0	0.923
50WK01/3720L	50.000	93.264	30.162	30.302	23.812	3.2	2.3	103.0	136.0	0.866
3784/3720	50.800	93.264	30.162	30.302	23.812	6.4	3.3	102.0	134.0	0.839
3784/3730	50.800	93.264	30.162	30.302	23.812	6.4	0.8	102.0	134.0	0.859
3795/3720	50.800	93.264	30.162	30.302	23.812	3.5	3.3	102.0	134.0	0.851
3795/3730	50.800	93.264	30.163	30.302	23.812	3.5	0.8	102.0	134.0	0.873
3775/30	50.800	93.264	30.162	30.302	23.812	0.8	0.8	103.0	136.0	0.860
3778/3720	50.800	93.264	30.162	30.302	23.812	3.5	3.3	102.0	134.0	0.848
3780/30	50.800	93.264	30.162	30.302	23.812	3.5	0.8	103.0	136.0	0.856
3767/3720	52.388	93.264	30.162	30.302	23.812	2.3	3.3	102.0	134.0	0.819
3767/3730	52.388	93.264	30.162	30.302	23.812	2.3	0.8	102.0	134.0	0.820
33889/21	50.800	95.250	28.575	27.783	22.225	3.5	2.3	110.0	144.0	0.868
385/382A	55.000	96.838	21.000	21.946	15.875	2.3	0.8	80.5	100.0	0.629
387/382A	57.150	96.838	21.000	21.964	15.875	3.5	0.8	80.5	100.0	0.593
387A/382A	57.150	96.838	21.000	21.946	15.875	3.5	0.8	80.5	100.0	0.593
387A/382S	57.150	96.838	25.400	21.946	20.275	3.5	2.3	80.5	100.0	0.663
388A/382A	57.531	96.838	21.000	21.946	15.875	3.5	0.8	80.5	100.0	0.587
387A/382	57.150	98.425	21.000	21.946	17.826	3.5	0.8	80.5	100.0	0.639
390A/394A	63.500	110.000	21.966	18.824	22.000	1.3	1.3	85.5	113.0	0.838
395A/394A	66.675	110.000	21.996	22.000	18.824	3.5	1.3	85.5	113.0	0.791
395S/394A	66.675	110.000	21.996	22.000	18.824	3.5	1.3	85.5	113.0	0.787
399A/394A	68.262	110.000	21.966	18.824	22.000	2.3	1.3	86.4	116.0	0.744
3979/3920	57.150	112.712	30.162	30.048	23.812	3.5	3.2	120.0	175.0	1.375
3979/3925	57.150	112.712	36.513	36.398	24.605	3.5	3.3	119.0	174.0	1.530
3982/3920	63.500	112.712	30.162	30.048	19.050	3.5	3.3			1.243
3982/3925	63.500	112.712	30.162	30.048	23.812	3.5	0.8	118.0	172.0	1.250
3984/3920	66.675	112.712	30.162	30.048	23.812	3.5	3.3	119.0	174.0	1.180
3984/3925	66.675	112.712	30.162	30.048	23.812	3.5	0.8	119.0	174.0	1.190
3984/3920	63.500	112.712	30.162	30.048	23.812	3.5	3.3			1.116
3984/3920	66.675	112.712	30.048	30.162	23.812	3.5	3.2	120.0	173.0	1.166
33275/33462	69.850	117.475	30.162	30.162	23.812	3.5	3.3	119.0	179.0	1.266

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

33281/3462	71.438	117.475	30.162	30.162	23.812	3.5	3.3	119.0	179.0	1.225
33287/3462	73.025	117.475	30.162	30.162	23.812	3.5	3.3	119.0	179.0	1.183
37425/625	107.950	158.750	21.438	23.020	15.875	3.5	3.3	102.0	165.0	1.374
36686/20	142.875	193.675	28.575	28.575	23.020	1.5	1.5			2.430
36690/20	146.050	193.675	28.575	28.575	23.020	1.5	1.5			2.270
36690P/20	146.050	193.675	28.575	28.575	23.020	1.5	1.5			2.300
36691/20	146.050	193.675	28.575	28.575	23.020	4.8	1.5			2.230
36686/20P	142.875	193.675	28.575	28.575	23.020	1.5	1.5			2.430
36690/20P	146.050	193.675	28.575	28.575	23.020	1.5	1.5			2.270
36690P/20P	146.050	193.675	28.575	28.575	23.020	1.5	1.5			2.300
36691/20P	146.050	193.675	28.575	28.575	23.020	4.8	1.5			2.230
36686/26	142.875	203.200	28.575	28.575	23.020	1.5	1.5			2.960
36690/26	146.050	203.200	28.575	28.575	23.020	1.5	1.5			2.800
36690P/26	146.050	203.200	28.575	28.575	23.020	1.5	1.5			2.830
36691/26	146.050	203.200	28.575	28.575	23.020	4.8	1.5			2.760
36990/20	177.800	227.012	30.163	30.162	23.020	1.5	1.5			2.900
38880/20	263.525	325.438	28.575	28.575	25.400	1.5	1.5			5.210
38885/20	266.700	325.438	28.575	28.575	25.400	1.5	1.5			4.920
JH343249NW/10	220.000	340.000	98.100	98.000	80.100	3	1.5			27.900
M349547/10	255.600	342.900	57.150	63.500	44.450	1.5	3.3			14.430
M348449/10	247.650	346.075	63.500	63.500	50.800	6.4	6.4			17.600
L357040/10	289.974	393.700	50.800	50.800	38.100	6.4	3.3			17.220

Imperial taper roller bearing; inch tapered roller bearing; bearing; tapered roller bearing; wheel bearing



CZD

ZHEJIANG CHINTA BEARING CO., LTD
ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Inch tapered roller bearing 4 series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
4 Series										
L44643 RS	With oil seal									
L44649 RS	With oil seal									

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>


A4049/138	12.700	34.988	10.988	10.988	8.730	0.8	1.3	11.7	10.9	0.055
A4050/138	12.700	34.988	10.988	10.988	8.730	1.3	1.3	11.7	10.9	0.055
A4059/138	15.000	34.988	10.988	10.988	8.730	0.8	1.3	11.7	10.9	0.050
L44640/10	23.812	50.292	14.224	14.732	10.668	1.5	1.3	27.6	32.0	0.125
L44643/10	25.400	50.292	14.224	14.732	10.668	1.3	1.3	27.6	32.0	0.118
L44649/10	26.988	50.292	14.224	14.732	10.668	3.5	1.3	27.6	32.0	0.108
L45449/10	29.000	50.292	14.732	14.224	10.668	3.5	1.3	26.8	34.0	0.104
L45449-9/10	29.000	50.292	14.732	14.224	10.668	3.5	1.3	26.8	34.0	0.111
LM48548/10	34.925	65.088	18.034	18.288	13.970	3.56	1.3	47.5	57.5	0.259
LM48548/11	34.925	65.088	21.022	18.288	17.018	3.56	1.3	47.5	57.5	0.288
49175/49368	44.450	93.662	31.750	31.750	25.400	3.5	3.3	120	147	0.993
49176/49368	44.450	93.662	31.750	31.750	25.400	0.8	3.3	120	147	0.997
46143/46368	36.512	93.662	31.750	31.750	26.195	1.5	3.3			1.150
4595/4535	53.975	104.775	40.157	39.688	38.338	3.5	3.3	150	210	1.555
469/453X	57.150	104.775	29.317	30.162	24.605	3.5	3.3	116	149	1.068
478/472	65.000	120.000	29.007	29.002	23.444	2.3	3.3	123	169	1.408
484/472	70.000	120.000	29.007	36.512	24.237	2.0	2.0	123	169	1.315
495/493	76.200	136.525	30.162	29.769	22.225	3.6	3.2	133	198	1.804
496/492A	80.962	133.350	30.162	29.769	22.225	6.4	3.2	133	198	1.549
495/492A	82.550	133.350	30.162	29.769	22.225	3.6	3.2	133	198	1.509
498/492A	84.138	133.350	30.162	29.769	22.225	3.6	3.2	133	198	1.469
497/492A	85.725	136.525	30.162	34.925	26.195	3.6	3.2	133	198	1.407
497A/493	85.725	136.525	30.162	29.769	22.225	6.4	3.2	133	198	1.509
47890/20	92.075	146.050	33.338	34.925	26.195	3.5	3.3	174	281	2.062
42346/584	87.960	148.430	28.575	28.971	21.433	3.0	3.0			1.970
42350/584	88.900	148.430	28.575	28.971	21.433	3.0	3.0			1.940
42354X/584	90.000	148.430	28.575	28.971	21.433	3.0	3.0			1.900
42362/584	92.075	148.430	28.575	28.971	21.433	3.5	3.0			1.830
42368/584	93.662	148.430	28.575	28.971	21.433	3.0	3.0			1.780
42373/584	94.976	148.430	28.575	28.971	21.433	3.0	3.0			1.750
42375/584	95.250	148.430	28.575	28.971	21.433	3.0	3.0			1.740
42375A/584	95.250	148.430	28.575	28.971	21.433	0.8	3.0			1.740
42376/584	95.250	148.430	28.575	28.971	21.433	3.5	3.0			1.720
42381/584	96.838	148.430	28.575	28.971	21.433	3.5	3.0			1.670
42346/585	87.960	148.430	28.575	28.971	25.400	3.0	3.3			2.010
42350/585	88.900	148.430	28.575	28.971	25.400	3.0	3.3			1.980
42354X/585	90.000	148.430	28.575	28.971	25.400	3.0	3.3			1.940
42362/585	92.075	148.430	28.575	28.971	25.400	3.5	3.3			1.870
42368/585	93.662	148.430	28.575	28.971	25.400	3.0	3.3			1.820
42373/585	94.976	148.430	28.575	28.971	25.400	3.0	3.3			1.790
42375/585	95.250	148.430	28.575	28.971	25.400	3.0	3.3			1.780
42375A/585	95.250	148.430	28.575	28.971	25.400	0.8	3.3			1.780
42376/585	95.250	148.430	28.575	28.971	25.400	3.5	3.3			1.760

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

42381/585	96.838	148.430	28.575	28.971	25.400	3.5	3.3			1.710
42346/586	87.960	148.430	34.925	28.971	31.750	3.0	3.3			2.270
42350/586	88.900	148.430	34.925	28.971	31.750	3.0	3.3			2.240
42354X/586	90.000	148.430	34.925	28.971	31.750	3.0	3.3			2.200
42362/586	92.075	148.430	34.925	28.971	31.750	3.5	3.3			2.130
42368/586	93.662	148.430	34.925	28.971	31.750	3.0	3.3			2.080
42373/586	94.976	148.430	34.925	28.971	31.750	3.0	3.3			2.050
42375/586	95.250	148.430	34.925	28.971	31.750	3.0	3.3			2.040
42375A/586	95.250	148.430	34.925	28.971	31.750	0.8	3.3			2.040
42376/586	95.250	148.430	34.925	28.971	31.750	3.5	3.3			2.020
42381/586	96.838	148.430	34.925	28.971	31.750	3.5	3.3			1.970
42346/587	87.960	149.225	31.750	28.971	24.608	3.0	3.3			2.110
42350/587	88.900	149.225	31.750	28.971	24.608	3.0	3.3			2.080
42354X/587	90.000	149.225	31.750	28.971	24.608	3.0	3.3			2.040
42362/587	92.075	149.225	31.750	28.971	24.608	3.5	3.3			1.970
42368/587	93.662	149.225	31.750	28.971	24.608	3.0	3.3			1.920
42373/587	94.976	149.225	31.750	28.971	24.608	3.0	3.3			1.890
42375/587	95.250	149.225	31.750	28.971	24.608	3.0	3.3			1.880
42375A/587	95.250	149.225	31.750	28.971	24.608	0.8	3.3			1.880
42376/587	95.250	149.225	31.750	28.971	24.608	3.5	3.3			1.860
42381/587	96.838	149.225	31.750	28.971	24.608	3.5	3.3			1.810
42346/590	87.960	149.974	31.750	28.971	24.608	3.0	3.3			2.150
42350/590	88.900	149.974	31.750	28.971	24.608	3.0	3.3			2.120
42354X/590	90.000	149.974	31.750	28.971	24.608	3.0	3.3			2.080
42362/590	92.075	149.974	31.750	28.971	24.608	3.5	3.3			2.010
42368/590	93.662	149.974	31.750	28.971	24.608	3.0	3.3			1.960
42373/590	94.976	149.974	31.750	28.971	24.608	3.0	3.3			1.930
42375/590	95.250	149.974	31.750	28.971	24.608	3.0	3.3			1.920
42375A/590	95.250	149.974	31.750	28.971	24.608	0.8	3.3			1.920
42376/590	95.250	149.974	31.750	28.971	24.608	3.5	3.3			1.900
42381/590	96.838	149.974	31.750	28.971	24.608	3.5	3.3			1.850
47880/23	77.788	151.130	33.337	34.925	26.195	3.5	3.3			2.810
47890/23	92.075	151.130	33.337	34.925	26.195	3.5	3.3			2.300
47896/23	95.250	151.130	33.337	34.925	26.195	3.5	3.3			2.170
47898/23	95.250	151.130	33.337	34.925	26.195	7.0	3.3			2.110
48190/20	107.950	161.925	34.925	34.925	26.988	3.5	3.3			2.340
48282/20	120.650	182.562	39.689	38.100	33.338	3.5	3.3			3.670
48286/20	120.650	182.562	39.689	38.100	33.338	3.5	3.3			3.670
48290/20	120.650	182.562	39.689	38.100	33.338	3.5	3.3			3.670
48282/20	120.650	182.562	76.200	38.100	33.338	3.5	3.3			3.670
48286/20	120.650	182.562	76.200	38.100	33.338	3.5	3.3			3.670
48290/20	120.650	182.562	76.200	38.100	33.338	3.5	3.3			3.670
48385/20	133.350	190.500	76.995	39.688	33.338	3.5	3.3			3.560

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

48393/20	136.525	190.500	76.995	39.688	33.338	3.5	3.3			3.350
48393A/20	136.525	190.500	76.995	39.688	33.338	5.5	3.3			3.380
48506/750	128.587	190.500	34.925	31.750	25.400	3.5	3.3			3.200
48685/20	142.875	200.025	41.275	39.688	34.130	3.5	3.3			3.840
48393/28	133.350	203.200	39.687	39.688	33.338	3.5	3.3			4.580
L432348/10	158.750	205.582	23.812	23.812	18.258	4.8	1.5			1.870
L433749/10	165.100	215.900	26.195	26.195	20.638	1.5	1.5			2.350
L435049/10	171.450	222.250	25.400	24.608	19.050	1.5	1.5			2.330
M432144/11	149.987	223.838	46.037	47.625	36.512	3.3	3.3			6.430
46780/20	158.750	225.425	41.275	39.688	33.338	3.5	3.3			
HH427346/15	127.000	234.950	71.438	76.995	55.562	8.0	3.3			
JH429149/10	130.000	240.000	76.000	72.000	60.000	8.0	7.0			14.370
H429648/11	139.700	246.858	60.325	65.088	46.038	1.5	3.3			11.850
H432640/10	139.687	269.875	77.000	77.788	64.000	1.5	3.3			19.990
EE450551/J451161	139.700	295.000	88.900	93.662	61.912	9.7	5.0			27.540
EE455055X/455116	140.000	295.275	85.728	88.900	63.500	12.0	6.4			26.350
EE450577/451212	146.050	307.975	88.900	93.662	61.912	9.7	6.8			29.760
LM446349/10	234.950	311.150	46.037	46.038	33.338	3.5	3.3			8.770
EE470073/470128	177.800	327.025	90.487	92.075	63.500	13.5	6.4			30.730
HH437549/10	165.100	336.550	92.075	95.250	69.850	3.3	6.4			38.150
JLL455649/10	300.000	345.000	23.000	21.000	17.000	2.3	1.5			2.850
LM451344/10	262.974	355.600	57.150	62.000	44.450	3.5	3.3			16.000
EE420651/421417	165.100	360.000	92.075	88.897	63.500	9.7	3.3			43.050
EE420751/421437	190.500	365.049	92.075	88.897	63.500	6.4	3.3			39.650
EE420793/421450	201.612	368.300	92.075	88.897	63.500	3.3	3.3			38.270



CZD
 ZHEJIANG CHINTA BEARING CO., LTD
 ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Inch tapered roller bearing 5 series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
5 Series										
57207/LM29710	38.100	65.088	18.288	13.970	13.970					


Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

LM501349/10	41.275	73.431	19.558	19.812	14.732	3.5	0.8	54.5	67	0.337
LM501349/11	41.275	73.431	23.028	19.812	18.288	3.5	3	54.5	67	0.378
LM501349/14	42.275	73.431	21.430	19.812	16.604	3.5	0.8	54.5	67	0.359
525/522	38.100	101.600	34.925	36.068	26.988	3.6	3.2	131	156	1.461
526/522	41.275	101.600	34.925	36.068	26.988	3.6	3.2	131	159	1.431
527/522	44.450	101.600	34.925	36.068	26.988	3.6	3.2	131	159	1.350
528/522	47.625	101.600	34.925	36.068	26.988	3.6	3.2	131	159	1.282
529/522	50.800	101.600	34.925	36.068	26.988	3.6	3.2	131	159	1.217
543/532X	40.000	107.950	36.512	36.957	28.575	3.6	3.2	138	172	1.740
511946/10	65.000	110.000	28.000	28.000	22.500	3	2.5	123	172	1.026
55212C/437	53.975	111.125	30.163	26.909	20.638	3.5	3.3	112.5	140.1	1.261
55175/55437	44.450	112.125	30.162	26.909	20.638	3.5	3.3			
55200/55437	52.388	112.125	30.162	26.909	20.638	3.5	3.3			
55206/55437	52.388	112.125	30.162	26.909	20.638	3.5	3.3			
5595R/5535	65.883	122.238	43.658	43.764	36.512	3.6	3.2	221	318	2.287
555S/.552A	57.150	123.825	38.100	36.678	30.162	3.5	3.5	57.15	123.825	2.171
570/563	68.262	127.000	32.512	36.170	28.575	3.6	3.2	156	226	1.908
566/563	69.850	127.000	32.512	36.170	28.575	3.6	3.2	208	301	1.888
567/563	73.025	127.000	36.512	36.170	28.575	3.5	3.3	178	257	1.841
JLM515649/10	80.000	130.000	35.000	34.000	28.500	3	2.5	166	251	1.749
HM516448/10	82.500	133.350	39.688	39.688	32.545	6.8	3.3	177	306	2.093
581/572x	80.962	139.700	36.512	36.098	28.575	3.5	3.3	175	260	2.111
575/572	76.200	139.992	36.512	36.098	28.575	3.5	3.3	175	260	2.391
580/572	82.550	139.992	36.512	36.098	28.575	3.5	3.3	175	260	2.168
582/572	82.550	139.992	36.512	36.098	28.575	6.8	3.3	175	260	2.146
JHM516849/10	85.000	140.000	39.000	38.000	31.500	3	2.5	203	309	2.299
590/592A	76.200	152.400	39.688	36.322	30.162	3.5	3.2	183	285	3.251
596/592A	85.725	152.400	39.688	36.322	30.162	3.5	3.2	183	285	2.908
593/592A	88.900	152.400	39.688	36.322	30.162	3.5	3.2	183	285	2.785
HM518445/10	88.900	152.400	39.688	36.322	30.162	6.4	3.3	248	359	2.868
598/592A	92.075	152.400	39.688	36.322	30.162	3.5	3.2	183	285	2.698
598A/592A	92.075	152.400	39.688	36.322	30.162	6.4	3.2	183	285	2.592
597/592A	93.662	152.400	39.688	36.322	30.162	3.5	3.2	183	285	2.592
594/592	95.250	152.400	39.688	36.322	33.338	3.5	3.3	183	285	2.583
594/592A	95.250	152.400	39.688	36.322	30.162	3.5	3.2	183	285	2.525
56425/56650	107.950	165.100	36.512	36.512	26.988	3.5	3.3	193	320	2.634
JHM522649/10	110.000	180.000	47.000	46.000	38.000	3	2.5			4.540
LL529749/10	146.050	188.120	22.225	20.638	16.670	1.5	1.5			1.390
JHM534149/10	170.000	230.000	39.000	38.000	31.000	3	2.5			4.320
M533349-S/10	165.100	231.976	45.000	44.000	36.000	3.5	3.5			5.530
LL537649/10	184.150	236.538	26.193	25.400	19.050	1.5	1.5			2.610
L540048/10	200.000	254.000	28.575	27.783	21.433	1.5	1.5			3.170
HM535347/10	169.974	260.350	66.675	66.675	52.388	3.5	3.3			12.670

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

EE514045/514110	114.300	279.400	82.550	82.550	53.975	6.4	6.4			23.310
543085/114	215.900	290.010	31.750	31.750	22.225	3.5	3.3			5.530
543086/116	219.969	292.009	31.750	31.750	22.225	3.5	3.3			5.340
544090/116	228.600	295.275	33.337	31.750	23.812	3.5	3.3			5.160
EE540502/541162	127.000	295.275	82.553	87.312	57.150	13.5	6.4			27.080
544091/118	231.775	300.038	33.337	31.750	23.812	3.5	3.3			5.300
580995/581200	152.400	304.800	79.375	79.375	55.562	3.3	3.3			23.770
LM545847/10	235.077	314.325	49.212	53.975	36.512	3.5	3.3			10.140
LM545849A/12	234.950	317.500	49.212	49.212	36.512	6.4	3.3			10.310
EE560592/561251	150.698	317.500	77.787	76.200	53.975	17.5	4.8			26.850
EE560529/561279	159.918	323.850	77.787	76.200	53.975	10.5	4.8			27.410
EE590638/591326	161.925	336.550	79.375	80.962	53.975	6.4	6.4			31.450
EE590649/590350	165.100	342.900	79.375	80.962	53.975	1.3	6.4			31.760
HM542948/11	203.200	346.075	79.375	80.962	60.325	1.5	3.3			
545112/39	285.750	354.012	33.337	31.750	22.225	3.5	3.3			6.420

inch tapered roller bearing;bearing;taper roller bearing;Imperial taper roller bearing;



CZD
 ZHEJIANG CHINTA BEARING CO., LTD
 ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Tapered roller bearing in Inch in 6 series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
6 Series										
A6075/A6175	19.050	39.992	12.014	11.153	9.525	1.3	1.3	14.9	15.7	0.069
LM67043/10	28.575	59.131	16.764	15.875	11.811	SP	1.3	345.0	415.0	0.209
L68149/10	35.000	59.131	15.875	16.764	11.938	4.75	1.3	35.0	47.0	0.173
LM67048/10	31.750	59.131	15.875	16.764	11.811	3.56	1.3	34.5	41.5	0.186
LM67048L/10 RS	31.750	59.931	15.875	16.764	11.811	3.56	1.3	34.5	41.5	0.194
L68149/11	35.000	59.975	15.875	16.764	11.938	4.75	1.3	35.0	47.0	0.174
JL68145/11	35.000	60.000	15.875	18.500	12.000	1.5	1.3	35.0	47.0	0.186
JL69349/10	38.000	63.000	17.000	17.000	13.500	3.56	1.3	38.5	52.0	0.194


Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

JL69345/10	38.000	63.000	17.000	19.000	13.500	3.56	1.3	38.5	52.0	0.200
LM603049/11	45.242	77.788	19.842	19.842	15.080	3.5	0.8	56.0	71.0	0.355
LM603049/12	45.242	77.788	21.430	19.842	16.667	3.5	0.8	56.0	71.0	0.374
65390/20	49.212	114.300	44.450	44.450	34.925	3.6	3.2	189.0	230.0	2.174
66212R/66462	53.975	117.475	33.338	31.750	23.812	3.6	3.2	129.0	152.0	1.582
615/612	44.450	120.650	41.275	41.275	31.750	3.6	3.2	174.0	217.0	2.333
619/612	50.800	120.650	41.275	41.275	31.750	3.6	3.2	174.0	217.0	2.293
66584/20	53.975	122.238	33.338	31.750	23.812	3.6	3.2	128.0	153.0	1.801
66589/20	59.972	122.238	33.338	31.750	23.812	3.6	3.2	128.0	153.0	1.661
65200/65500	50.800	127.000	44.450	44.450	34.925	3.6	3.2	208.0	208.0	2.890
65237/65500	60.325	127.000	44.450	44.450	34.925	3.6	3.2	208.0	269.0	2.610
65237A/65500	60.325	127.000	44.450	44.450	34.925	3.6	3.2	208.0	269.0	2.610
6381/6320	54.991	135.755	53.975	56.007	44.450	3.6	3.2	266.0	357.0	4.120
6382/20	63.500	135.755	53.975	56.007	45.450	4.3	3.2	266.0	357.0	3.680
6379/20	65.088	135.755	53.975	56.007	45.450	4.3	3.2	266.0	357.0	3.710
6386/20	66.675	135.755	53.975	56.007	45.450	4.3	3.2	266.0	357.0	3.640
6389/20	66.675	135.755	53.975	56.007	45.450	4.3	3.2	266.0	357.0	3.520
655/653	69.850	146.050	41.275	41.275	31.750	3.6	3.2	208.0	301.0	3.241
661/653	79.375	146.050	41.275	41.275	31.750	6.4	3.3	207.0	296.0	
665A/653	85.725	146.050	41.275	41.275	31.750	6.4	3.3	207.0	296.0	2.601
665/653	85.725	146.050	41.275	41.275	31.750	3.5	3.3	207.0	296.0	2.602
663/653	82.550	146.050	41.275	41.275	31.750	6.4	3.3	207.0	296.0	2.790
6460/6420	73.025	149.225	53.975	54.229	44.450	3.6	3.2	285.0	404.0	4.400
6461/6420	76.200	149.225	53.975	54.229	44.450	3.5	3.3	285.0	404.0	4.270
6461A/6420	76.200	149.225	53.975	54.229	44.450	3.5	3.3	285.0	404.0	4.270
659/652	76.200	152.400	41.275	41.275	31.750	3.6	3.2	208.0	301.0	3.410
L623149/10	114.300	152.400	21.432	21.433	16.670	1.5	1.5			1.050
JL624548/10	120.000	160.338	21.433	21.433	16.670	1.5	1.5			1.190
6574P/6535	76.162	161.925	53.974	55.100	42.862	3.5	3.3			5.430
677/672	85.725	168.275	41.275	41.275	30.162	3.5	3.3			4.120
679/672A	88.900	168.275	41.274	41.275	34.925	3.5	3.3			4.080
6559C/6520	82.550	169.850	53.975	55.100	44.450	3.5	3.3			5.770
683/673	95.250	169.974	41.275	41.275	30.162	3.5	3.3			3.790
683X/674	95.000	171.450	41.275	41.275	30.162	3.5	3.3			3.870
67425/67675	107.950	171.450	34.000	30.162	25.268	3.5	3.3			2.510
64373/64700	94.983	177.800	41.275	41.275	30.162	1.5	3.3			4.460
68450/68709	114.300	179.974	34.925	31.750	25.400	3.5	0.8			2.850
68463/68712	117.475	180.975	34.925	31.750	25.400	8	3.3			2.660
HM624749/10	120.650	190.500	46.037	46.038	34.925	3.5	1.5			4.670
L630349/10	152.400	192.088	25.000	24.000	19.000	2	2			1.560
67388W/22	127.000	196.850	46.038	46.038	38.100	3.5	3.3			5.150
67384/20	120.650	203.200	46.038	46.038	38.100	8	3.3			6.070
LL639249/10	196.850	241.300	23.813	23.017	17.462	1.5	1.5			2.110

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

67780/20	165.100	247.650	47.625	47.625	38.100	3.5	3.3			7.910
LL641148/10	203.479	261.142	28.575	31.750	21.433	1.5	1.5			3.730
67884/20	187.325	266.700	47.625	46.833	38.100	3.5	3.3			8.230
67981/19	198.298	279.400	46.038	49.212	36.512	3.5	3.3			9.100
67887/30	192.088	280.000	46.525	46.833	36.000	10.5	3.3			8.940
67982/20	199.949	282.575	46.038	49.212	36.512	3.5	3.3			9.300
LL648434/15-B	243.682	315.912	14.527	31.750	22.225	3.5	3.3			6.120
LL648449/16	254.000	315.912	31.750	31.750	22.225	3.5	4.8			4.890
EE607070/140	177.800	355.600	79.375	77.788	53.975	6.4	6.4			
HM647448/11	231.775	377.825	79.375	80.962	58.738	3.3	3.3			33.570
LM654649/10	285.750	380.898	65.088	65.088	49.212	3.5	3.3			19.900

Imperial taper roller bearing; inch roller bearing; tapered roller bearing



单列圆锥滚子轴承



Inch tapered roller bearing in 7 series


Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
7 Series										
LM78349/10	35.000	62.000	16.700	17.000	13.600	3.56	1.0	38.0	50.0	0.202
LM78349/10A	35.000	62.000	16.700	17.000	13.600	3.56	1.5	38.0	50.0	0.201
72200C/72487	50.800	123.825	36.512	32.971	25.400	3.5	3.3			
72200/72487	50.800	123.825	36.512	32.971	25.400	3.5	3.3			
72212C/72487	53.975	123.825	36.512	32.791	25.400	3.5	3.3	162	199	2.028
72218/72487	55.652	123.825	36.512	32.971	25.400	3.5	3.3			1.910
72218C/72487	55.652	123.825	36.512	32.971	25.400	3.5	3.3			2.020
72225C/72487	57.150	123.825	36.512	32.971	25.400	3.5	3.3			1.980
H715332/11	603.325	136.525	46.038	46.038	36.512	3.5	3.3	234	336	3.510
H715334/11	61.912	136.525	46.038	46.038	36.512	3.5	3.3	234	336	3.314
JLM710949/10	65.000	105.000	24.000	23.000	18.500	3.0	1.0	93.0	126	0.733
H715340/11	65.088	136.5258	46.038	46.038	36.512	3.5	3.3	234	336	3.340
H715341/11	66.675	136.5258	46.038	46.038	36.512	3.5	3.3	234	336	3.280
H715343/11	68.262	136.5258	46.038	46.038	36.512	3.5	3.3	234	336	3.220
H715345/11	71.438	136.5258	46.038	46.038	36.512	3.5	3.3	234	336	3.100

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

744R/742	73.025	150.089	46.672	44.455	36.512	0.35	3.3	265	370	3.730
JM714149/10	75.000	115.000	25.000	25.000	19.000	3.0	2.8	101	151	0.881
JM714249/10	75.000	120.000	31.000	29.500	25.000	3.0	2.8	145	216	1.276
749A/743	82.550	150.000	46.672	44.455	35.000	3.5	3.3	265	370	3.300
749A/742	82.550	150.089	46.672	44.455	36.512	0.35	3.3	265	370	3.330
749/742	85.026	150.089	46.672	44.455	36.512	0.35	3.3	265	370	3.330
749S/742	85.026	150.089	46.672	44.455	36.512	5.0	3.3	265	370	3.330
JM718149/10	90.000	145.000	34.000	35.000	27.000	3.0	2.5	190	285	2.150
778/772	92.075	180.975	47.625	48.006	38.100	3.6	3.2	288	438	5.570
JM719149/10	95.000	145.000	35.000	34.000	27.000	3.0	2.5	187	294	2.196
JM720249/10	100.000	155.000	36.000	35.000	28.000	3.0	2.5	237	378	2.403
JHM720249/10	100.000	160.000	41.000	40.000	32.000	3.0	2.5	237	378	3.075
755/752	76.200	161.925	47.625	48.260	38.100	3.5	3.3			4.680
760/7754W	90.488	168.275	53.975	48.260	57.150	3.5	3.3			5.270
JL724348/14-B	120.000	170.000	11.351	25.400	19.050	3.3	3.3			1.750
77362/77675	92.075	171.450	47.625	48.260	38.100	3.5	3.3			4.830
L725349/11	127.000	171.450	25.400	25.400	18.288	3.3	3.3			1.510
775/772	88.900	180.975	47.625	48.006	38.100	4.8	3.3			5.730
71373/71750	94.948	190.500	47.625	49.500	34.925	4.0	3.3			6.380
71433X/71788	110.000	199.974	49.500	49.212	36.800	3.5	4.0			6.390
JL730646/L730610	150.000	203.200	28.575	28.575	21.438	3.3	3.3			2.570
795/792-B	120.650	206.375	20.638	47.625	34.925	3.3	3.3			6.550
74472/74845	119.964	214.975	47.625	47.625	34.925	3.5	3.3			7.410
74525/74850	133.350	215.900	47.625	47.625	34.925	3.5	3.3			6.520
LL735448/10	177.800	215.900	20.638	23.812	15.038	1.5	1.5			1.530
73551/73875	139.700	222.250	34.925	31.623	23.812	3.5	3.3			4.260
JM734445/10	160.000	240.000	46.000	44.500	37.000	3.0	2.5			7.180
JM734449A/11	170.000	241.000	50.998	44.500	42.000	3.0	2.5			6.820
JM736149/10	180.000	250.000	47.000	45.000	37.000	3.0	2.5			6.670
LM739749/10	196.850	257.175	39.688	39.688	30.162	3.5	3.3			5.310
JM738249/10	190.000	260.000	46.000	44.000	36.500	3.0	2.5			6.870
LM742748/10	512.900	285.750	46.037	46.038	34.925	3.5	3.3			7.540
HM743337/10	200.025	333.375	69.850	69.850	52.388	6.4	6.4			
EE717065/717132	165.100	336.550	88.900	92.075	65.088	3.3	6.4			35.690
HM746646H/10	228.600	355.600	69.850	69.850	50.800	6.4	6.4			24.350
LL758744/15	323.850	381.000	28.575	28.575	20.638	3.5	3.3			5.390

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>



CZD
 ZHEJIANG CHINTA BEARING CO., LTD
 ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Tapered roller bearing in 8 Series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
8 Series										
M84548/10	25.400	57.150	19.431	19.431	14.732	1.5	1.5	42.5	49.0	0.254
HM88630/10	25.400	72.233	25.400	25.400	19.842	0.8	2.3	63.5	83.5	0.570
HM86649/10	30.162	64.292	21.433	21.433	16.670	1.5	1.5	51.0	64.5	0.339
HM86648A/10	30.995	64.292	21.433	21.433	16.670	1.5	1.5	51.0	64.5	0.347
M88046/10	31.750	68.262	22.225	22.225	17.462	1.5	1.5	55.5	70.5	0.396
HM88638/10	32.000	72.233	25.400	25.400	19.842	3.3	2.3	63.5	83.5	0.513
M88048/10	33.338	68.262	22.225	22.225	17.462	0.8	1.5	55.5	70.5	0.382
HM89443/10	33.338	76.200	29.370	28.575	23.020	0.8	3.3	78.5	106.0	0.654
HM89444/10	33.338	76.200	29.370	28.575	23.020	3.8	0.8	78.5	106.0	0.662
HM88649/10	34.925	72.233	25.400	25.400	19.842	2.3	2.3	63.5	83.5	0.483
HM89446/10	34.935	76.200	29.370	28.575	23.020	3.5	3.3	78.5	106.0	0.635
HM89446A/11	34.935	76.200	29.370	28.575	23.020	0.8	0.8	78.5	106.0	0.646
HM88648/10	35.715	72.233	25.400	25.400	19.842	3.5	2.3	63.5	83.5	0.473
HM89449/10	36.512	76.200	29.370	28.575	23.020	3.5	3.3	78.5	106.0	0.615
M802048/11	41.275	82.550	25.654	26.543	20.193	3.5	3.3	78.5	102.0	0.625
HM803149/10	44.450	88.900	29.370	30.162	23.020	3.5	3.3	96.5	129.0	0.850
JHM807040/10	44.450	104.775	36.512	36.512	28.575	3.5	3.3	141.0	195.0	1.836
JHM807044/12	49.212	104.775	36.512	36.512	28.575	3.5	0.8	141.0	195.0	1.527
JHM807045/12	50.000	105.000	36.000	37.000	29.000	3	2.5	139.0	192.0	1.533
JHM807046/10	50.800	104.775	36.512	36.512	28.575	3.5	3.3	141.0	196.0	1.492
JHM807046/11	50.800	104.775	36.512	36.512	28.575	3.5	0.8			
LM806649/10	53.975	88.900	19.050	19.050	13.492	2.4	2	52.2	55.5	0.428
HM813845/10	55.562	127.000	36.512	36.512	26.988	3.6	1.6	166.0	235.0	2.326
HM813844/11	66.675	127.000	36.512	36.512	26.988	3.6	1.6	166.0	235.0	2.042
835R/832	69.850	168.275	53.975	56.363	41.275	3.6	3.2	344.0	467.0	6.040
HM813849/11	71.438	127.000	35.512	36.512	36.170	3.6	1.6	166.0	235.0	1.902
841R/832	85.725	168.275	53.975	53.363	41.275	3.6	3.2	344.0	467.0	5.190

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

855R/854	88.900	168.275	53.975	53.363	41.275	3.6	3.2	344.0	467.0	7.710
857R/854	92.075	190.500	57.150	57.531	44.450	7.9	3.2	385.0	565.0	7.520
864R/854	95.250	190.500	57.150	57.531	44.450	7.9	3.2	385.0	565.0	7.300
JHM828449V/10V	140.000	220.000	55.000	55.000	42.500	3.5	3.5			7.570
896/892-B	136.525	228.600	22.225	57.150	44.450	3.5	3.3			9.330
898/892	139.700	228.600	57.150	57.150	44.450	3.5	3.3			8.670
82550/82931	139.700	236.538	57.150	56.642	44.450	3.5	3.3			9.870
81575/81962	146.050	244.475	47.625	50.005	33.338	3.5	3.3			8.210
81600/81964	152.400	245.000	47.625	50.005	33.338	3.5	3.3			7.710
82680X/20	177.800	279.400	61.913	61.912	43.655	3.3	3.3			13.080
87737/87111	187.325	282.575	50.800	47.625	36.512	3.5	3.3			9.780
82788/20-B	190.500	288.925	22.225	55.562	42.862	3.5	3.3			12.830
LM844049/10	223.838	295.275	46.038	46.038	34.925	3.5	3.3			8.130
JHM840449/10	200.000	300.000	65.000	62.000	51.000	3.5	2.5			15.540
88900/88126	228.600	320.675	50.800	49.212	33.338	6.4	3.3			11.060
L848849/11	253.975	324.950	39.000	41.500	27.998	1.5	3.3			7.440
8574/8520	234.950	327.025	52.388	52.388	36.512	6.4	3.3			12.270
88919T/88128	233.362	327.025	52.388	49.212	34.925	1.5	3.3			11.560
8575X/8522	234.950	328.625	52.388	52.388	36.512	6.4	3.3			13.040
HH840249/10	190.500	336.550	98.425	95.250	73.025	6.4	6.4			36.620
L853042/10	264.975	352.425	36.513	34.925	23.812	3.5	3.3			9.040
84111W/55	282.575	393.700	63.500	50.800	44.450	3.5	6.4			19.590



CZD
 ZHEJIANG CHINTA BEARING CO., LTD
 ZHEJIANG CHINTA ZHENGDA AUTOMOBILE PARTS CO., LTD

Tapered roller bearing in 9 Series

Note: We can also design and produce special kinds of bearings according to the requirements of customers. If you need more information, pls kindly contact us.

Bearing No.	Dimensions (mm)							Basic Load Rating(KN)		Weight
	d	D	T	B	C	r1/r2	r3/r4	Cr	Cor	W (Kg)
9 Series										
M903345/10	44.500	92.075	26.195	23.812	16.670					0.758
HM903245/10	44.500	95.250	30.958	28.575	22.225	3.5	0.8			1.050

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd
 Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: k enhuang68@163.com; czdsale@gmail.com
 Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

HM903248/10	44.500	95.250	30.958	28.575	22.225	3.5	0.8			0.989
HM903249/10	44.500	95.250	30.958	28.575	22.225	3.5	0.8			0.999
HM907643/14	50.800	111.125	30.162	28.575	20.638	3.5	3.3			1.382
HM911242/10	53.975	130.175	36.512	33.338	23.812	3.5	3.3			2.281
H913840/10	59.987	146.050	41.275	39.688	25.400	3.5	3.3			3.220
HM911244/10	60.000	130.000	34.100	30.924	22.650	3.5	3.3			2.010
HM911245/10	60.325	130.175	36.512	33.338	23.812	5.0	3.3			2.131
HM911249/10	61.912	130.175	36.512	33.338	23.812	3.5	3.3			2.091
H913842/10	61.912	146.050	41.275	39.688	25.400	3.5	3.3			3.220
H913849/10	69.850	146.050	41.275	39.688	25.400	3.5	3.3			3.220
9181/9121	61.912	152.400	47.625	46.038	31.750	0.8	3.3			4.090
9180/9120	61.912	158.750	50.800	46.038	34.925	3.5	3.3			4.700
JF9549/10	95.000	160.000	46.000	46.000	38.000	3.0	3.0			3.760
9278/9220	68.262	161.925	49.212	46.038	31.750	3.5	3.3			4.640
H916642/10	69.987	176.212	54.770	53.183	36.512	3.3	3.3			6.390
9380/9320	76.200	177.800	52.387	46.038	34.925	3.5	3.3			5.810
HH914447/12	63.500	177.800	57.150	53.975	37.308	3.5	3.3			6.880
LM921845/10	101.600	177.800	34.925	31.750	19.050	3.3	3.3			3.070
H917840/10	76.200	180.975	53.975	53.183	35.720	3.5	3.3			6.550
J90354/90744	90.000	188.912	50.800	46.038	31.750	3.5	3.3			6.050
H919942/11	84.138	193.675	52.000	49.000	34.498	6.4	6.4			7.000
98335/98788	85.000	200.000	52.761	49.212	34.925	3.5	3.3			7.760
936/930	107.950	206.375	66.675	66.675	53.975	8.0	3.3			9.520
938A/933	114.300	210.000	67.000	66.675	53.975	3.2	3.3			9.540
936W/932	107.950	212.725	66.675	66.675	53.975	8.0	3.3			10.280
H924033/10	101.600	214.312	55.562	52.388	39.688	3.5	3.3			9.070
97450/97900	114.300	228.600	53.975	49.428	38.100	3.5	3.3			9.410
HM926740/10	114.300	228.600	53.975	49.428	38.100	3.5	3.3			9.670
95475/95905	120.650	230.000	63.500	63.500	49.212	6.4	3.3			11.610
95500/95912	127.000	231.775	63.500	63.500	49.212	6.4	3.3			11.260
HM926749/19	127.792	239.974	53.975	49.428	38.100	3.5	3.3			9.930
99500/99097	127.000	249.974	66.675	66.675	53.400	6.4	3.0			15.000
HH923649/10	101.600	250.825	76.200	73.025	50.800	6.4	6.4			17.480
HH926744/10	114.300	273.050	82.550	82.550	53.975	6.4	6.4			22.760
HH926749/16	120.650	279.400	82.550	82.550	53.975	6.4	6.4			23.160
EE91702/91112	177.800	285.750	63.500	63.500	41.275	6.4	3.3			13.400
94560/94113	165.100	288.925	63.500	63.500	47.625	7.0	3.3			16.970
HH932132/10	127.000	304.800	88.900	82.550	57.150	6.4	6.4			30.170
93708/93125	179.974	317.500	63.500	63.500	46.038	3.5	3.3			21.360
H936340/10	155.575	330.200	85.725	79.375	53.975	6.4	6.4			31.610
96900/96140	228.600	355.600	68.262	66.675	47.625	7.0	3.3			23.380
LL957049/10	312.738	358.775	22.225	20.638	14.288	2.3	1.5			3.110

Note: We can also design and produce special kinds of bearings according to the requirements

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>

of customers. If you need more information, please contact us.



CZD CZD CZD CZD CZD
CZD CZD CZD CZD CZD

Single row taper roller bearing, inch taper roller bearing, imperial tapered roller bearing, auto bearing, truck roller bearing, trailer bearing, tractor bearing, bus bearing, coach bearing, automotive bearing, axle bearing, differential bearing, taper bearing assembly, heavy duty bearing, wheel bearing, gear box bearing, engine bearing, transmission bearing, industrial Equipment bearing, imperial roller bearing, wheel hub bearing, agricultural bearing, motorcycle bearing, hoists bearing, crane bearing, rod mill bearing, reducer bearing, Metallurgy Equipment bearing, Papermaking Equipment bearing, Textile Equipment bearing, Mining industry bearing, Wind energy bearing

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd
Add: Weiliu Road, Yanpan Industry Zone, Yueqing, Zhejiang, China 325600
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: k enhuang68@163.com; czdsale@gmail.com
Website: <http://www.chintagroup.com>; <http://www.czdbearing.com>