

Tapered roller bearing (Metric series)

Bearing NO.	Dimension (mm)							Load rating		Weight (kg)
	d	D	T	B	C	R	r	Cr	Cor	
30200 Series										
30202	15	35	11.75	11	10	0.6	0.6	14.9	13.4	0.058
30203	17	40	13.25	12	11	1	1	20.8	20.7	0.079
30204	20	47	15.25	14	12	1	1	27	27.2	0.126
30205	25	52	16.25	15	13	1	1	31.5	33.7	0.154
30206	30	62	17.25	16	14	1	1	41.5	44.8	0.231
30207	35	72	18.25	17	15	1.5	1.5	55.1	60.9	0.331
30208	40	80	19.75	18	16	1.5	1.5	62.9	69.2	0.422
30209	45	85	20.75	19	16	1.5	1.5	67.2	77.4	0.474
30210	50	90	21.75	20	17	1.5	1.5	76.5	91.7	0.529
30211	55	100	22.75	21	18	2	1.5	94.6	113	0.713
30212	60	110	23.75	22	19	2	1.5	106	127	0.904
30213	65	120	24.75	23	20	2	1.5	120.6	152.6	1.130
30214	70	110	25.00	25	19	2	1.5	132.3	173.6	0.839
30215	75	115	25.00	25	19	2	1.5	138.4	185.4	0.875
30216	80	140	28.25	26	22	2.5	2	160.4	212.8	1.690
30217	85	150	30.50	28	24	2.5	2	177.6	236.8	2.120
30218	90	160	32.50	30	26	2.5	2	200.1	269.6	2.600
30219	95	170	34.50	32	27	3	2.5	226	226	3.130
30220	100	180	37.00	34	29	3	2.5	172	280	3.780
30221	105	190	39.00	36	30	3	2.5	284	400	4.520
30222	110	200	41.00	38	32	3	2.5	314	445	5.280
30224	120	215	43.50	40	34	2.5	2	335	487	6.280
30226	130	230	43.75	40	34	3	2.5	364	525	7.250
30228	140	250	45.75	42	36	4	3	407	589	8.740
30230	150	270	49.00	45	38	4	3	449	651	10.700
30232	160	290	52.00	48	40	4	3	509	744	13.100
30234	170	310	57.00	52	43	5	4	616	865	16.100
30236	180	320	57.00	52	43	5	4	583	815	16.600
30238	190	340	60.00	55	46	5	4	721	1000	20.100
30240	200	360	64.00	58	48	5	4	792	1120	23.800
30244	220	400	72.00	65	54	5	4	887	1373	33.600
33200 Series										
33205	25	52	22.00	22	18	1	1	47.3	56	0.221
33206	30	62	25.00	25	19.5	1	1	66.4	79.4	0.355
33207	35	72	28.00	28	22	1.5	1.5	87.6	107	0.540
33208	40	80	24.75	23	19	1.5	1.5	108	139	0.549
33209	45	85	32.00	32	25	1.5	1.5	112	149	0.817
33210	50	90	24.75	23	18	1.5	1.5	119	167	0.655
33211	55	100	35.00	35	27	2	1.5	142	189	1.180
33212	60	110	38.00	38	29	2	1.5	168	250	1.560
33213	65	120	41.00	41	32	2	1.5	194	270	2.040
33214	70	125	33.25	31	27	2	1.5	201	285	1.660
33215	75	130	41.00	41	31	2	1.5	209	300	2.250
33216	80	140	45.00	46	35	2.5	2	251	375	2.930
33217	85	150	49.00	49	37	2.5	2	286	430	3.570
33218	90	160	55.00	55	42	2.1	2	330	500	4.550
33219	95	170	58.00	58	44	2.5	2.1	378	568	5.480
33220	100	180	63.00	63	48	3	2.5	429	655	6.710
33221	105	190	68.00	68	52	2.5	2.1	498	770	8.120
30300 Series										

Zhejiang Zhengda Bearing Co., Ltd

Zhejiang Zhengda Automobile Bearing Co., Ltd.

Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679

Email: webmaster@zd-bearing.com zl@zl.zjbnet.com

Website: <http://www.bearing-in-china.com>

30302	15	42	14.25	13	11	1	1	22.9	21.7	0.094
30303	17	47	15.25	14	12	1	1	27.4	24.5	0.129
30304	20	52	16.25	15	13	1	1.5	30.5	28.4	0.165
30305	25	62	18.25	17	15	1.5	1.5	48.2	46.9	0.263
30306	30	72	20.75	19	16	1.5	1.5	59.6	60.1	0.387
30307	35	80	22.75	21	18	2	1.5	75.3	82.6	0.515
30308	40	90	25.25	23	20	2	1.5	90.6	101	0.747
30309	45	100	27.25	25	22	2	1.5	113	128	0.984
30310	50	110	29.25	27	23	2.5	2	137	152	1.280
30311	55	120	31.50	29	25	2.5	2	149	170	1.630
30312	60	130	33.50	31	26	3	2.5	171.4	210	1.990
30313	65	140	36.00	33	23	3	2.5	195.9	241.7	2.430
30314	70	150	38.00	35	25	3	2.5	219	271.7	2.940
30315	75	160	40.00	37	31	3	2.5	252.8	318.8	3.630
30316	80	170	42.50	39	27	3	2.5	278.8	352.5	4.070
30317	85	180	44.50	41	28	4	3	304.9	388.2	4.880
30318	90	190	46.50	43	36	4	3	341	341	5.650
30319	95	200	49.50	45	38	4	3	368	483	6.700
30320	100	215	51.50	47	39	4	3	402	490	8.050
30321	105	225	53.50	49	41	4	3	432	568	9.150
30322	110	240	54.50	50	42	4	3	471	619	11.000
30324	120	260	59.50	55	46	4	3	562	754	13.900
30326	130	280	63.75	58	49	5	4	605	780	16.600
30328	140	300	67.75	62	53	5	4	721	985	20.100
30330	150	320	72.00	65	55	5	4	825	1060	24.200
30332	160	340	75.00	68	58	5	4	880	1400	28.400
30334	170	360	80.00	72	62	5	4	1020	1340	33.500
33100 Series										
33108	40	75	26.00	26	19	1.5	1.5	82.2	108	0.410
33109	45	80	26.00	26	20.5	1.5	1.5	87.5	120	0.552
33110	50	85	26.00	26	20	1.5	1.5	89.4	127	0.597
33111	55	95	30.00	30	23	1.5	1.5	116	161	0.877
33112	60	100	30.00	30	23	1.5	1.5	117	170	0.910
33113	65	110	34.00	34	26.5	2	1.5	120	154	1.320
33114	70	120	37.00	37	29	2	1.5	172	250	1.710
33115	75	125	37.00	37	29	2	1.5	176	265	1.800
33116	80	130	37.00	37	29	2	1.5	179	280	1.880
33117	85	140	41.00	41	32	2.5	2	220	340	2.510
33118	90	150	45.00	45	35	2.5	2	251	390	3.140
33119	95	160	49.00	49	38	2.1	2	298	498	3.940
33120	100	150	39.00	39	32.5	2.1	2	308	528	4.310
33121	105	175	56.00	56	44	2.1	2	352	608	5.290
33122	110	180	56.00	56	43	2.5	2	369	630	5.500
33124	120	200	62.00	62	48	2.5	2	448	778	7.680
31300 Series										
31305	25	62	18.25	17	13	1.5	1.5	40.7	46.3	0.262
31306	30	72	20.75	19	14	1.5	1.5	52.4	60.4	0.392
31307	35	80	22.75	21	15	2	1.5	65.7	76.8	0.514
31308	40	90	25.25	23	17	2	1.5	81.4	96.4	0.727
31309	45	100	27.25	25	18	2	1.5	95.6	113.8	0.944
31310	50	110	29.25	27	19	2.5	2	108	128.5	1.210
31311	55	120	31.50	29	21	2.5	2	129.9	158	1.560
31312	60	130	33.50	31	22	3	2.5	145.4	176.8	1.900
31313	65	140	36.00	33	23	3	2.5	165.7	202.6	2.370
31314	70	150	38.00	35	25	3	2.5	186.9	231	2.860

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd.
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: webmaster@zd-bearing.com zl@zl.zjbnet.com
Website: <http://www.bearing-in-china.com>

31315	75	160	40.00	37	26	3	2.5	208.5	258.9	3.380
31316	80	170	42.50	39	27	3	2.5	229.8	287.1	4.050
31317	85	180	44.50	41	28	4	3	253.9	319.1	4.690
31318	90	190	46.50	43	30	4	3	281.7	357.1	5.460
31319	95	200	49.50	45	32	4	3	292	355	6.640
31320	100	215	56.50	51	35	4	3	374	465	8.590
31321	105	225	58.00	53	36	4	3	402	500	9.580
31322	110	240	63.00	57	38	4	3	458	610	12.100
31324	120	260	68.00	62	42	4	3	539	695	15.300
31326	130	280	72.00	66	44	5	4	605	780	18.400
31328	140	300	77.00	70	47	5	4	693	900	22.800
31330	150	320	82.00	75	50	5	4	781	1020	25.200
32000 Series										
32004X	20	42	15.00	15	12	0.6	0.6	27.3	31.5	0.090
320/22	22	44	15.00	15	11.5	0.6	0.6	28.3	33.6	0.100
32005X	25	47	15.00	15	11.5	0.6	0.6	30.2	37.7	0.110
320/28	28	52	16.00	16	12	1	1	35.2	44	0.142
32006X	30	55	17.00	17	13	1	1	38.2	48	0.170
320/32	32	58	17.00	17	13	1	1	39.22	50.6	0.187
32007X	35	62	18.00	18	14	1	1	45.5	59.4	0.224
32008X	40	68	19.00	19	14.5	1	1	53.5	71.4	0.267
32009X	45	75	20.00	20	15.5	1	1	62.8	86.5	0.337
32010X	50	80	20.00	20	15.5	1	1	65.7	94.5	0.366
32011X	55	90	23.00	23	17.5	1.5	1.5	84.6	121	0.551
32012X	60	95	23.00	23	17.5	1.5	1.5	81.7	122.2	0.584
32013X	65	100	23.00	23	17.5	1.5	1.5	82.2	127.3	0.620
32014X	70	110	25.00	25	19	1.5	1.5	104.3	160.1	0.839
32015X	75	115	25.00	25	19	1.5	1.5	103.1	160.2	0.875
32016X	80	125	29.00	29	22	1.5	1.5	141	220	1.320
32017X	85	130	29.00	29	22	1.5	1.5	139.8	220.3	1.380
32018X	90	140	32.00	32	24	2	1.5	171.3	271	1.780
32019X	95	145	32.00	32	24	2	1.5	168	168	1.880
32020X	100	150	32.00	32	24	3	2.5	253	351	1.950
32021X	105	145	35.00	35	26	2.5	2	201	335	2.480
32022X	110	170	38.00	38	29	2.5	2	233	390	3.050
32024X	120	180	38.00	38	29	2.5	2	242	415	3.250
32026X	130	200	45.00	45	34	2.5	2	314	540	4.950
32028X	140	210	45.00	45	34	2.5	2	330	585	5.250
33000 Series										
33005	25	47	15.00	15	11.5	0.6	0.6	32.5	42.5	0.116
33006	30	55	20.00	20	16	1	1	43.2	55.1	0.208
33007	35	62	21.00	21	17	1	1	40.8	53.8	0.267
33008	40	68	22.00	22	18	1	1	60.4	84.6	0.322
33009	45	75	24.00	24	19	1	1	69.6	101	0.414
33010	50	80	24.00	24	19	1	1	73	110	0.452
33011	55	90	27.00	27	21	1.5	1.5	96.5	149	0.657
33012	60	130	33.50	31	26	1.5	1.5	96.8	150	2.030
33013	65	100	27.00	27	21	1.5	1.5	98	158	0.760
33014	70	110	31.00	31	25.5	1.5	1.5	135	220	1.200
33015	75	115	31.00	31	25.5	1.5	1.5	132	220	1.180
33016	80	125	36.00	36	29.5	1.5	1.5	182	305	1.660
33017	85	130	36.00	36	29.5	1.5	1.5	180	305	1.750
33018	90	140	39.00	39	32.5	2	1.5	232	388	2.210
33019	95	145	39.00	39	32.5	2	1.5	220	220	2.300
33020	100	150	39.00	39	32.5	2	1.5	230	390	2.380

Zhejiang Zhengda Bearing Co., Ltd
 Zhejiang Zhengda Automobile Bearing Co., Ltd.
 Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
 Email: webmaster@zd-bearing.com zl@zl.zjbnet.com
 Website: <http://www.bearing-in-china.com>

33021	105	160	43.00	43	34	2.1	2	258	438	3.030
33022	110	170	47.00	47	37	2	2.5	288	500	3.840
33024	120	180	48.00	48	38	2.5	2	298	535	4.070
33026	130	200	55.00	55	43	0.5	2	400	728	6.140
32200 Series										
32203	17	40	17.25	16S	14	1	1	27.4	27.5	0.105
32204	20	47	19.25	18	15	1	1	33.1	34.7	0.166
32205	25	52	19.25	18	16	1	1	39.8	44.8	0.187
32206	30	62	21.25	20	17	1	1	50.7	57.9	0.287
32207	35	72	24.25	23	19	1.5	1.5	69.6	82.4	0.445
32208	40	80	24.75	23	19	1.5	1.5	77.7	90.8	0.532
32209	45	85	24.75	23	19	1.5	1.5	84.2	104	0.573
32210	50	90	24.75	23	19	1.5	1.5	85	105	0.626
32211	55	100	26.75	25	21	2	1.5	107	133	0.853
32212	60	110	29.75	28	24	2	1.5	132.8	179.6	1.170
32213	65	120	32.75	31	27	2	1.5	160.9	221.7	1.550
32214	70	125	33.25	31	27	2	1.5	168.5	237.1	1.660
32215	75	130	33.25	31	27	2	1.5	170.3	242.1	1.720
32216	80	140	35.25	33	28	2.5	2	198.1	279	2.100
32217	85	150	38.50	36	30	2.5	2	226.7	324	2.640
32218	90	160	42.50	40	34	2.5	2	269	396	3.410
32219	95	170	45.50	43	37	3	2.5	301	301	4.220
32220	100	180	49.00	46	39	2	2.5	340	513	5.050
32221	105	190	53.00	50	43	3	2.5	380	581	6.260
32222	110	200	56.00	53	46	3.5	2	430	668	7.350
32224	120	215	61.50	58	50	3	2.5	475	764	9.000
32226	130	230	67.75	64	54	4	3	549	895	11.300
32900 Series										
32904	20	37	12.00	12	9	0.3	0.3	13.2	17.5	0.056
329/22	22	40	12.00	12	9	0.3	0.3	15	20.2	0.320
32905	25	42	12.00	12	9	0.3	0.3	16	21	0.064
329/28	28	45	12.00	12	9	0.3	0.3	16.8	22.8	0.069
32906	30	47	12.00	12	9	0.3	0.3	17	23.2	0.073
32907	35	55	14.00	14	11.5	0.6	0.6	27.8	39.6	0.123
32908	40	62	15.00	15	12	0.6	0.6	33.5	48.5	0.161
32909	45	68	15.00	15	12	0.6	0.6	34.7	52.4	0.187
32910	50	72	15.00	15	12	0.6	0.6	35.9	56.3	0.193
32911	55	80	17.00	17	14	1	1	44.6	73.3	0.282
32912	60	85	17.00	17	14	1	1	46	73	0.306
32913	65	90	17.00	17	14	1	1	45.5	73.2	0.323
32914	70	100	20.00	20	16	1	1	70.8	115	0.049
32915	75	105	20.00	20	16	1	1	78.2	125	0.530
32916	80	110	20.00	20	16	1	1	79.2	128	0.560
32917	85	120	23.00	23	18	1.5	1.5	96.8	165	0.800
32918	90	125	23.00	23	18	1.5	1.5	95.8	165	0.841
32919	95	130	23.00	23	18	1.5	1.5	97.2	170	0.877
32920	100	140	25.00	25	20	1.5	1.5	128	218	1.180
32921	105	145	25.00	25	20	1.5	1.5	128	225	1.230
32922	110	150	25.00	25	20	1.5	1.5	80	138	1.290
32924	120	165	29.00	29	23			172	318	1.800
32926	130	180	32.00	32	25	2	1.5	136	249	2.420
32300 Series										
32303	17	47	20.25	19	16	1	1	31.9	29.9	0.173
32304	20	52	22.25	21	18	1.5	1.5	45.1	46.7	0.230
32305	25	62	25.25	24	20	1.5	1.5	61.2	64.1	0.368

Zhejiang Zhengda Bearing Co., Ltd
Zhejiang Zhengda Automobile Bearing Co., Ltd.
Phone: 086-577-62665675, 62665678 Fax: 086-577-62665679
Email: webmaster@zd-bearing.com zl@zl.zjbnet.com
Website: <http://www.bearing-in-china.com>

